

ADMINISTRATIVE POLICY STATEMENT Michigan Marketplace

wiichigan warketplace				
Policy Name & Number	Date Effective			
Emergency Department Electrocardiogram (EKG/ECG) Interpretation and	01/01/2025			
Imaging Interpretation-MI MP-AD-1445				
Policy Type				
ADMINISTRATIVE				

Administrative Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Administrative Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Administrative Policy Statement. If there is a conflict between the Administrative Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination

According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

Table of Contents

A.	Subject	. 2
	Background	
	Definitions	
	Policy	
	Conditions of Coverage	
	Related Policies/Rules	
G.	Review/Revision History	. 3
Н.	References	. 3



A. Subject

Electrocardiogram (EKG/ECG) Interpretation and Imaging Interpretation

B. Background

An electrocardiogram (EKG/ECG) is a non-invasive test that records the electrical activity of the heart. It may be used when a possible cardiac issue occurs due to an emergency medical condition. An EKG/ECG may need to be performed to address the situation quickly. The recording is reviewed by a physician who provides an interpretation and written report. An EKG/ECG may be reported as the technical aspect only, the interpretation and written report only, or both aspects together as 1 service. For the purpose of this policy, EKG will be used to represent both EKG and ECG.

C. Definitions

- Electrocardiogram (EKG/ECG) A test that records the electrical activity of the heart.
- Emergency Medical Condition A medical condition that manifests itself by signs
 and symptoms of sufficient severity or acuity, including severe pain, such that a
 prudent layperson would reasonably have cause to believe constitutes a condition
 that the absence of immediate medical attention could reasonably be expected to
 result in:
 - Placing the health of an individual, or with respect to a pregnant woman, the health of the woman or her unborn child in serious jeopardy.
 - Serious impairment to bodily functions.
 - Serious dysfunction of any bodily organ or part.
- **Imaging** Several different technologies that are used to view the human body in order to diagnose, monitor, or treat medical conditions.

D. Policy

- I. Electrocardiogram (EKG/ECG) Interpretation
 - A. CareSource will reimburse the first EKG interpretation claim that is received for the member on the date of service.
 - 1. If another claim for the same EKG interpretation is received for reimbursement, CareSource will only reimburse the first claim received for the same member on the same date of service.
 - CareSource will not reimburse duplicate claims for the same service on the same date of service for the same member without the appropriate modifier.
 - B. If a second EKG interpretation is medically necessary on the same date of service before the member is discharged, modifier 76 or modifier 77 must be appended to the second EKG interpretation for reimbursement.

II. Imaging Interpretation

A. CareSource will reimburse the first imaging interpretation claim that is received for the member on the date of service.



- 1. If another claim for the same imaging interpretation is received for reimbursement, CareSource will only reimburse the first claim received for the same member on the same date of service.
- 2. CareSource will not reimburse duplicate claims for the same service on the same date of service for the same member without the appropriate modifier.
- B. If a second imaging interpretation is medically necessary, on the same date of service before the member is discharged, modifier 76 or modifier 77 must be appended to the second imaging interpretation for reimbursement.
- III. CareSource expects providers to work with other departments within the provider's organization to determine which department will submit the claim to prevent duplicate claim submissions.

E. Conditions of Coverage

CareSource expects providers to use appropriate, standard billing guidelines. Modifiers and place of service codes are listed below only as a reference.

Modifier	Description		
26	Professional Component		
76	Repeat Procedure or Service by Same Physician or Other Qualified Health Care Professional		
77	Repeat Procedure by Another Physician or Other Qualified HealthCare Professional		

F. Related Policies/Rules

Marketplace Plan Evidence of Coverage

G. Review/Revision History

	DATE	ACTION
Date Issued	09/11/2024	New policy. Approved at Committee.
Date Revised		
Date Effective	01/01/2025	
Date Archived		

H. References

- 1. Sattar Y, Chhabra L. Electrocardiogram. *StatPearls*. StatPearls Publishing; 2024. Updated June 5, 2023. Accessed June 20, 2024. www.ncbi.nlm.nih.gov
- 2. Medical imaging. US Food and Drug Administration. August 28, 2018. Accessed June 20, 2024. www.fda.gov
- When should you use repeat modifiers 76 and 77? what are medical coding modifiers? American Academy of Professional Coders; 2024. Accessed June 20, 2024. www.aapc.com