



CATEGORY PROCEDURAL TERMINOLOGY (CPT) CATEGORY II CODES



What is a CPT II Code?

CPT II codes are a set of alphanumeric medical codes used to track performance measures and quality indicators. A CPT II code typically consists of four digits, followed by the letter “F”. The four digits denote the specific performance measure or clinical concept. The “F” indicates it’s a tracking code.

Why use CPT II codes?

They provide a standardized way to measure and report health care quality. These codes help in tracking specific aspects of patient care, facilitating quality improvement initiatives.

Using CPT II codes will help to:

- **Improve Health Outcomes** with a more comprehensive view of a member’s health status.
- More accurate information helps to identify opportunities to improve patient care. Improved patient care can help **improve HEDIS measurement scores** for your provider practice.
- **Reduce Medical Record Requests.** Adding CPT II codes improves the accuracy of the record, reducing the need for chart review.

MEASURE	CPT II CODE	DEFINITION
APM: Metabolic Monitoring for Children and Adolescents on Antipsychotics	3044F	Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3046F	Most recent HbA1c level greater than 9.0% (DM)
	3051F	Most recent HbA1c level greater than or equal to 7.0% and less than 8.0%
	3052F	Most recent HbA1c level greater than or equal to 8.0% and less than or equal to 9.0%
	3048F	Most recent LDL-C less than 100 mg/dL
LDL-C Test Result or Finding	3049F	Most recent LDL-C 100-129 mg/dL
	3050F	Most recent LDL-C greater than or equal to 130 mg/dL
	1170F	Functional status assessed
COA: Care of Older Adults	1159F	Medication list documented in the medical record
	1160F	Review of medications by prescribing practitioner or clinical pharmacist documented in the medical record
Pain Screening	1125F	Pain severity quantified; pain present
	1126F	Pain severity quantified; no pain present

MEASURE	CPT II CODE	DEFINITION
CBP: Controlling High Blood Pressure	Blood Pressure	3074F Most recent systolic blood pressure less than 130 mm Hg
		3075F Most recent systolic blood pressure 130 – 139 mm Hg
		3077F Most recent systolic blood pressure greater than or equal to 140 mm Hg
		3078F Most recent diastolic pressure less than 80 mm Hg
		3079F Most recent diastolic pressure 80 – 89 mm Hg
		3080F Most recent diastolic pressure greater than or equal to 90 mm Hg
GSD: Glycemic Status Assessment for Patients with Diabetes	HbA1c	3044F Most recent HbA1c level < 7.0%
		3046F Most recent HbA1c level > 9.0%
		3051F Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0%
		3052F Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0%
BPD: Blood Pressure Control for Patients with Diabetes	Blood Pressure	3074F Most recent systolic blood pressure less than 130 mm Hg
		3075F Most recent systolic blood pressure 130 – 139 mm Hg
		3077F Most recent systolic blood pressure greater than or equal to 140 mm Hg
		3078F Most recent diastolic pressure less than 80 mm Hg
		3079F Most recent diastolic pressure 80 – 89 mm Hg
		3080F Most recent diastolic pressure greater than or equal to 90 mm Hg



MEASURE		CPT II CODE	DEFINITION	
EED: Eye Exam for Patients with Diabetes	Eye Exam by Eye Care Professional	2022F	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy	
		2023F	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy	
		2024F	Seven standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy	
		2025F	Seven standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy	
		2026F	Eye imaging validated to match diagnosis from seven standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy	
		2033F	Eye imaging validated to match diagnosis from seven standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy	
		3072F	Low risk for retinopathy (no evidence of retinopathy in the prior year)	
SMD: Diabetes Monitoring for People with Diabetes and Schizophrenia	HbA1c	3044F	Most recent hemoglobin A1c level less than 7.0%	
		3046F	Most recent hemoglobin A1c level greater than 9.0%	
		3051F	Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0%	
		3052F	Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0%	
		LDL	3048F	Most recent LDL C test level of less than 100 mg/dL
			3049F	Most recent LDL-C 100-129 mg/dL
3050F	Represents the most recent LDL C level of greater than or equal to 130 mg/dL			
SMC: Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia	LDL	3048F	Most recent LDL C test level of less than 100 mg/dL	
		3049F	Most recent LDL-C 100-129 mg/dL	
		3050F	Represents the most recent LDL C level of greater than or equal to 130 mg/dL	

MEASURE	CPT II CODE	DEFINITION
TRC: Transitions of Care	Medication Reconciliation Intervention	1111F Discharge medications are reconciled with the current medication list in outpatient medical record
PPC: Prenatal and Postpartum Care	Stand-Alone Prenatal Visit	0500F Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP]) (Prenatal)
		0501F Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal)
		0502F Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (eg, an upper respiratory infection; patients seen for consultation only, not for continuing care)]
	Postpartum Visit	0503F Postpartum care visit (Prenatal)

For a full list of CPT II Codes, visit the [American Medical Association website](#) and select CPT.

