



MEDICAL POLICY STATEMENT

Arkansas PASSE

Policy Name & Number	Date Effective
Applied Behavior Analysis for Autism Spectrum Disorder-AR PASSE-MM-1227	01/01/2025
Policy Type	
MEDICAL	

Medical Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination. According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

Table of Contents

A.	Subject	2
B.	Background	2
C.	Definitions.....	4
D.	Policy.....	4
E.	Conditions of Coverage.....	13
F.	Related Policies/Rules.....	13
G.	Review/Revision History.....	13
H.	References	13

A. Subject

Applied Behavior Analysis for Autism Spectrum Disorder

B. Background

The *Diagnostic and Statistical Manual of Mental Disorders, 5th Edition, Text Revised* (DSM-5-TR) classifies Autism Spectrum Disorder (ASD) as a neurodevelopmental disorder varies widely in severity and symptoms, depending on the developmental level and chronological age of the individual. ASD is characterized by specific developmental deficits that affect socialization, communication, academic, and personal functioning. Individuals are typically diagnosed before entering grade school, and symptoms are noticed across multiple contexts, including social reciprocity, nonverbal communicative behaviors, and skills in developing, maintaining and understanding relationships. Restricted, repetitive patterns of behavior, interests or activities are also often present.

Currently, there is no cure for ASD, nor is there any single treatment for the disorder. The diagnosis may be managed through a combination of therapies, including behavioral, cognitive, pharmacological, and educational interventions with a goal of minimizing the severity of ASD symptoms, maximizing learning, facilitating social integration, and improving quality of life for the member and family/caregiver(s). Applied behavior analysis (ABA), one such therapy, may be provided in centers or at home and provides an evidence-based practice for the treatment of ASD.

ABA is based on the science of behavior, which was founded on the premise that understanding behavior functioning, how it is affected by the environment, and how learning to change behavior can improve the human condition. It is a flexible treatment in that it should always be adapted to the needs of each individual, teaches skills that are useful and generalizable, and involves individual, group and family training. Qualified and trained practitioners provide and/or oversee ABA programs and are accountable to state boards for registration, certification, or licensure requirements. Clinical decisions on telehealth service delivery models should be selected based on the individual needs, strengths, preference of service modality, caregiver availability, and environmental support available.

CareSource follows Arkansas Code and Arkansas Department of Health and Human Services guidelines in the provision of ABA services, which are based on a diagnosis from the DSM-5-TR. Severity levels are divided into 2 domains, social communication and restricted, repetitive behaviors, and are defined as follows:

Severity Levels for Autism Spectrum Disorder		
Severity Level	Social Communication	Restricted, Repetitive Behaviors
Level 3 – “Requiring very substantial support”	Severe deficits in verbal & nonverbal social communication skills cause severe impairments in functioning, very limited initiation of social interactions,	Inflexibility of behavior, extreme difficulty coping with change, or other restricted/ repetitive behaviors markedly interfere with functioning in all spheres.

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

	and minimal response to social overtures from others.	Great distress/difficulty changing focus or action.
Level 2 – “Requiring substantial support”	Marked deficits in verbal and nonverbal social communication skills, social impairments apparent even with supports in place, limited initiation of social interactions, and reduced or abnormal responses to social overtures from others.	Inflexibility of behavior, difficulty coping with change, or other restricted/ repetitive behaviors appear frequently enough to be obvious to the casual observer and interfere with functioning in a variety of contexts. Distress and/or difficulty changing focus or action.
Level 1 – “Requiring support”	Without supports in place, deficits in social communication cause noticeable impairments. Difficulty initiating social interactions and clear examples of atypical or unsuccessful responses to social overtures of others. May appear to have decreased interest in social interactions.	Inflexibility of behavior causes significant interference with functioning in one or more contexts. Difficulty switching between activities. Problems of organization and planning hamper independence.

Social skills instruction is an important component of management of the diagnosis. Although additional studies are necessary, a 2012 meta-analysis of five randomized trials (196 participants) found evidence that participation in social skills groups improved overall social competence and friendship quality in the short term. A 2020 study demonstrated efficacy of a modified group cognitive behavioral therapy program in children delivered in a community context. A 2021 study demonstrated benefits of group cognitive behavioral treatment in adolescents diagnosed with autism and intellectual disabilities. As children near entry in a public or private school system, research supports the use of group therapy for school readiness and improved social skills. Training must be an integral component of the management of the underlying disorder and include clearly defined goals, teach desired behaviors, provide prompting for natural display of desired behaviors, provide reinforcement of demonstrated behaviors, and include practice of desired behaviors with goals of generalizability outside the therapeutic setting (eg, impairments in social-emotional reciprocity, restrictive or obsessional interests, aggressive behaviors).

As the child becomes eligible for school-based services (the age varies depending upon the state), the public school system becomes responsible for the provision of services and education. The services provided are outlined in an individualized education program (IEP), which is reviewed at a minimum of once a year, for children eligible. ASD services do not include education services otherwise available through a program funded under 20 US Code Chapter 3, section 1400 of the Individuals with Disabilities Education Act (IDEA). Congress reauthorized the IDEA in 2004 and most recently amended the IDEA through Public Law 114-95, Every Student Succeeds Act, in December 2015.

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

C. Definitions

- **Applied Behavior Analysis (ABA)** – Design, implementation, and evaluation of environmental modifications using behavioral stimuli and consequences to produce socially significant improvement in behavior, including direct observation, measurement, and functional analysis of the relationship between environment and behavior.
- **Caregiver/Family Training** – Training taught by a therapist to parents/caregivers on how to implement methods utilized in a clinical setting into other environments, such as the home or community, to maximize outcomes furthering generalization of skills and maximizing and reinforcing methods being taught.
- **Practitioner** – All ABA services must be provided by a Behavior Analyst Certification Board (BACB)-certified professional or appropriately supervised paraprofessional:
 - Board Certified Assistant Behavior Analyst (BCaBA)
 - Board Certified Behavior Analyst (BCBA)
 - Board Certified Behavior Analyst - Doctoral (BCBA-D)
 - Registered Behavior Technician
 - Paraprofessional with a high school diploma/national equivalent in pursuit of an RBT certification or one with 2 years of experience working with children with or without disabilities.
- **Person Centered Service Plan (PCSP)** – A member’s total plan of care made in accordance with 42 C.F.R. § 441.301(c)(1) that indicates services necessary for the member, specific member needs, member strengths, and a crisis plan.
- **Standardized Diagnostic Assessment Tools** – Direct assessment, evidence-based tools designed to assist with identification of symptoms and criteria for a diagnosis or disorder. Common tools for the diagnosis of ASD, include the following:
- **SMART Goals** – Goals that are specific (S), measurable (M), attainable (A), relevant (R), and time-bound (T).
- **Supervision** - Directing, guiding, training and assessing individuals who provide behavior-analytic services with responsibilities in accordance with the board from which the practitioner received a license.
 - Services delivered by a BCaBA must be supervised by a BCBA, BCBA-D or a licensed/ registered psychologist certified by the American Board of Professional Psychology in Behavioral and Cognitive Psychology who has tested in ABA.

D. Policy

I. General Guidelines

- A. Medical necessity review is required for all ABA services initially with a baseline and then, again, every 6 months. Appropriate documentation, as indicated in this policy, must be submitted for review and align with the State’s definition of medical necessity including treatment that is not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results.
- B. ABA therapy should begin early in life, ideally by the age of 2, typically lasting up to 3 to 4 years, and is subject to the member’s response to treatment.

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

- C. Members under 21 will be assessed. Treatment goals and intensity will be based on individual needs and progress in treatment with a focus on remediation of symptoms.
 - D. The member's treatment record (eg, plans of care, treatment plans, behavior support plans, functional assessments, daily service notes, progress notes) must be completed by the provider or practitioner, signed by the parent or legal guardian (if minor age) or by the member if applicable, and submitted to CareSource prior to claim submission. Claims will not be accepted without accompanying signed treatment documentation.
- II. Initiation of ABA Services
- A. Documentation
CareSource must receive documentation that confirms the following medical criteria:
 - 1. definitive, primary diagnosis of ASD made by one of the following practitioners upon evaluation:
 - a. child and adolescent psychiatrist
 - b. psychologist
 - c. child neurologist
 - d. developmental pediatrician
 - 2. standardized diagnostic assessment tools considered multidisciplinary evaluations, including:
 - a. Autism Diagnostic Observation Schedule (ADOS)
 - b. Autism Diagnostic Interview Revised (ADI-R)
 - c. Childhood Autism Rating Scale, 2nd edit. (CARS-2)
 - 3. written documentation (eg, provider letter) that describes DSM clinical symptoms present within the past year requiring treatment if the submitted diagnostic evaluation was completed more than 24 months from date
 - B. Initial Behavior Assessment
Before services are provided, an initial behavior identification assessment will be performed by a fully credentialed BCBA with state licensure, if available, and a treatment plan developed. Generally, behavioral assessments are not to exceed 8 hours every 6 months, unless additional justification is provided.
 - C. Initial Treatment Plan
An initial ABA treatment plan individualized to the caregiver/family needs, values, priorities and circumstances for member goals and parent/caregiver training will be developed by the member, family/caregiver, and provider, signed by the parent/caregiver, and must include the following:
 - 1. Biopsychosocial information, including, but not limited to:
 - a. current family structure
 - b. medication history, including dosage and prescribing physician
 - c. medical history
 - d. school placement and hours in school per week, including homeschool instruction and any individualized education plans (IEP)
 - e. history of ABA services, including service dates and progress notes

- f. all behavioral health diagnoses and services, including any hospitalizations
- g. other services member is receiving (eg, speech therapy [ST], occupational therapy [OT], physical therapy [PT]), including evidence of coordination with other disciplines involved in the assessment
- h. caregiver proficiency and involvement in treatment
- i. any major life changes
2. rationale for ABA services (eg, how ABA addresses current areas of need), including the following:
 - a. history with symptom intensity and symptom duration, including how symptoms affect the member's ability to function in various settings
 - b. evidence of previous therapy (eg, outcomes from previous ABA treatment, ST, OT, PT) and how results influence proposed treatment
 - c. type, duration, frequency for services.
3. goals related to core deficits (eg, communication problems, relationship development, social and problem behaviors) must include the following:
 - a. outcome driven, performance-based, and individualized measures focused on targeted symptoms, behaviors, and functional impairments
 - b. based on the direct behavioral assessment and a standardized developmental and functional skills assessment/curriculum (eg, Verbal Behavior Milestones Assessment and Placement Program [VB-MAPP], Assessment of Basic Language and Learning Skills [ABLLS-R]).
 - c. a description of treatment activities and documentation of active participation by member and caregiver/family in the implementation of treatment OR documentation detailing barriers to family/ caregiver participation and how those barriers are being actively addressed
 - d. SMART goals that define how improvement will be noted, frequency of treatment (number of hours per week), and duration of treatment
4. Behavioral Intervention Plan and/or a Plan of Care (POC)
5. a prescription with the number of ABA hours requested per week based on the member's specific needs, not on a general program structure, as evidenced by all of the following:
 - a. Treatment is provided at the lowest level of intensity appropriate to the member's clinical needs and goals with the number of hours requested reflecting the actual number of hours intended to be provided.
 - b. A detailed description of problems, goals and interventions support the requested intensity of treatment.
6. a plan to modify the intensity and duration of treatment over time based on the member's progress, including an individualized discharge plan specific to treatment needs
7. coordination with other behavioral health and medical

III. Continuation of ABA

Requests for continuation of ABA services are to be submitted every six months, and documentation must meet **EITHER** of the following criteria:

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

- A. A definitive diagnosis of ASD persists, and member continues to demonstrate ASD symptoms that will benefit from treatment in at least two settings.
- B. A treatment plan as noted in D. II. C., including the following:
 - 1. an updated progress report with assessment scores that note improvement and member response to treatment from baseline targeted symptoms, behaviors, and functional impairments using the same modes of measurement utilized for baseline measurements
 - 2. a plan to transition services in intensity over time
- C. Parent/caregiver(s) are involved and making progress in development of behavioral interventions.

OR

- D. When requesting continuation with inadequate progress on targeted symptoms or behaviors or no demonstrable progress within a 6-month period, an assessment of the reasons for lack of progress should be documented and provided. Treatment interventions should be modified to achieve adequate progress. Documentation should include
 - 1. change in possible treatment techniques
 - 2. increased parent/caregiver training
 - 3. increased time and/or frequency working on specific targets
 - 4. identification and resolution of barriers to treatment efficacy
 - 5. any newly identified co-existing disorders and possible treatment
 - 6. modified or removed goals and interventions

IV. Discontinuation of ABA Therapy

Titration or discontinuation of ABA therapy should occur when any of the following conditions are met (not an all-inclusive list):

- A. Treatment ceases to produce significant meaningful progress or maximum benefit has been reached.
- B. Member behavior does not demonstrate meaningful progress for two successive 6-month authorization periods as demonstrated via standardized assessments.
- C. ABA therapy worsens symptoms, behaviors or impairments.
- D. Symptoms stabilize allowing member to transition to less intensive treatment or level of care.
- E. Parents/caregivers have refused treatment recommendations, are unable to participate in the treatment program, and/or do not follow through on treatment recommendations to an extent that compromises the effectiveness of the services for member progress.

V. Parent/caregiver Training

Training will evolve as goals are met. Parent/caregiver must actively work on at least 1 unmet goal. Services must include documentation of the following:

- A. understanding/agreement to comply with the requirements of treatment
- B. how the parents/caregivers will be trained in skills that can be generalized to the home and other environments
- C. methods by which the parents/caregivers will demonstrate trained skills

- D. barriers to parent involvement and plans to address (eg, are treatment goals addressed when professionals are not present, overall skill abilities)
- E. time involvement, including any materials or meetings occurring on a routine basis

VI. Telehealth

Telehealth services may be provided where appropriate. ABA services may be provided via telehealth in instances deemed medically necessary with supporting documentation that provides a plan for the provision of service delivery.

Providers utilizing telehealth for the delivery of services must make decisions that are consistent with best, currently available evidence and clinical consensus. Clinical rationale must consider assessed needs, strengths, preferences, and available resources of members and caregivers. The same professional ethics governing in-person care must be followed and limitations considered, including interstate licensure challenges, state regulatory issues, member or caregiver discomfort with technology, technology limitations, and cultural acceptance of virtual visits. Providers must identify protocols for clinical appropriateness (eg, risk assessment, safety planning, patient/caregiver characteristics), ensure therapeutic benefit for recipients, and ensure provider competence of delivering care via telehealth modalities. Peer reviewed studies and other best evidence literature provides guidance on appropriate screeners and questionnaires for use in the determination of appropriateness of telehealth services for particular clients.

VII. Documentation Requirements

Arkansas (AR) Department of Human Services (DHS) outlines requirements for documentation expectations for client records. Required enrollment documentation is detailed in Section 140.000 of provider manuals on the AR DHS website. Each dated entry in the professional record is maintained for a period of not less than 10 years after the last date of service or not less than the length of time required by other regulations, if longer. All written, electronic and other records will be stored and disposed of in such a manner as to ensure confidentiality. All must be legible, and electronic signatures are accepted, provided that the signature complied with Ark. Code Ann. § 25-31-103.

- A. Member records, at a minimum, must include the following:
 - 1. presenting problem, including referral reason, relevant diagnoses and any recommendations for ABA therapy rendered by an appropriate professional
 - 2. a copy of the member's treatment plan and functional assessment on which the behavior plan is based
 - 3. specific services rendered (eg, service notes)
 - 4. signed consent by a parent/legal guardian to receive services
 - 5. any data collected to ascertain efficacy of services and subsequent modifications of the plan
 - 6. notations and formal contacts with other providers

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

7. authorizations, if any, by the client for release of records or information
- B. Minimum documentation requirements for all services rendered include
 1. name of provider organization clearly visible on the record
 2. member's name on each page (ie, legal name)
 3. date of birth or unique identifier
 4. date and location of rendered service
 5. date of note creation if different from date of rendered service
 6. start and stop times including any pauses in services (must indicate time paused and time resumed)
 7. type/code of service provided
 8. rendering provider's name, credentials, and dated signature
 9. dated signature of parent/guardian or member, depending on member age
 10. identification of others present, including the relationship to the member and the number of individuals participating in any group sessions
 11. summary of session activity that directly relates to the POC & client response to interventions
 12. addendum information, if applicable, including a clear reference of the clinical note it is intended to supplement, date completed and signature with credentials

VIII. Codes of Conduct

Codes of conduct exist to meet credentialing needs of professionals but also function to protect members by establishing, disseminating, and managing professional standards. CareSource supports professional standards established by licensing and credentialing bodies, and therefore, encourages professional compliance to any and all standards across disciplines for the protection of members and families. The ethics code written by the Behavior Analyst Certification Board includes the following standards (not all-inclusive):

- A. Family oversight must occur by/with the BCBA or BCaBA. An RBT may be present during a family training session to provide assistance with interventions, but the training or supervision of interventions cannot be completed by the RBT.
- B. Providers will create a contract for consent to services (eg, "Declaration of Professional Practices and Procedures") at the onset of services that defines and documents, in writing, the professional role with relevant parties.
- C. Appropriate effort will be made to involve members and stakeholders in treatment, including selecting goals, designing assessments and interventions, and conducting continual progress monitoring.
- D. Providers will identify and address environmental conditions (eg, behavior of others, hazards to client or staff) that may interfere with service delivery, including the identification of effective modifications to interventions and appropriate documentation of conditions, actions taken, and eventual outcomes.
- E. Continuity of services will be facilitated to avoid interruption or disruption of services for members, including documentation of actions taken and eventual outcomes.

- F. Providers will address any possible circumstances when relevant stakeholders are not complying with the behavior-change intervention(s) despite documented and appropriate efforts to address barriers to treatment.

IX. Supervision Expectations

The Behavior Analyst Certification Board enacts guidelines for supervision requirements and documentation expectations for providers within the profession. Supervision contract requirements can be found in the *BACB Handbook*. Documentation related to supervision must be maintained for a minimum of 7 years from the last date of supervision.

- A. At a minimum, RBTs must document the following related to supervision (not all inclusive):
 - 1. days and times behavior-analytic services were provided
 - 2. dates and duration of supervision
 - 3. supervision format (one-on-one, group)
 - 4. dates of direct observation
 - 5. names of supervisors providing supervision
 - 6. noncertified RBT supervisor form, if applicable
 - 7. proof of supervisor's relationship to the client
 - 8. additional documentation in the event of discrepant records (session notes)
- B. Supervisors must document the following for any supervision hours conducted:
 - 1. date with start and stop times
 - 2. fieldwork type
 - 3. supervision type (group or individual)
 - 4. activity category (restricted or unrestricted)
 - 5. summary of supervision activity, including:
 - a. discussion of activities completed during independent hours and any feedback provided
 - b. progress toward individual member goals
 - c. outcome of supervision, including any modification to treatment interventions or plans of care
 - d. collaboration of care among providers
 - 6. dated signature of supervisor and supervisee, including credentials
- C. Observations must include the following (at a minimum):
 - 1. date with start and stop times
 - 2. fieldwork type
 - 3. setting name
 - 4. supervisor name
 - 5. activity category (restricted or unrestricted)
- D. CareSource supports BACB published ethical codes related to supervision for the provision of services to clients, including, but not limited to
 - 1. Behavior analysts (BA) are knowledgeable about and comply with all applicable supervisory
 - 2. requirements, funder and organization policies), including those related to supervision modalities and structure.

3. BAs supervise and train others only within an individual identified scope of competence.
4. BAs take on only the number of supervisees allowing effective supervision and training. When a threshold volume for providing effective supervision has been met, documentation of this self-assessment and communication of results to employer(s) and relevant parties must occur.
5. BAs are accountable for supervisory practices and professional activities (eg, client services, supervision, training, research activity, public statements) of supervisees occurring as part of that relationship.
6. BAs ensure that documentation, and the documentation of supervisees or trainees, is accurate and complete.
7. BAs deliver supervision and training in compliance with applicable requirements (eg, BACB rules, licensure requirements, funder and organization policies) and design and implement supervision and training procedures that are evidence based, focus on positive reinforcement, and are individualized for each supervisee and circumstances.
8. BAs actively engage in continual evaluation of supervisory practices using feedback from others and client and supervisee outcomes. Self-evaluations are documented and timely adjustments made to supervisory and training practices as indicated.

X. Special Provisions Related to RBTs

A. Current Standards for RBTs

1. RBT services must be supervised by a qualified RBT supervisor. RBTs must obtain ongoing supervision for a minimum of 5% of the hours spent providing ABA services per month. Additionally, the BACB publishes information regarding the structure of supervision and parameters for group and individual supervision in the RBT Handbook.
2. An RBT who is certified by the BACB may provide ABA under the supervision of an independent practitioner if enrolled in the Medicaid program and affiliated with the organization under which he/she is employed or contracted. If the independent practitioner leaves the affiliated organization and no longer provides supervision, the RBT may not continue to provide services under that independent practitioner. Additionally, if the RBT leaves the affiliated organization and no longer receives board mandated supervision, the RBT may not continue to provide services to the member.

B. Upcoming RBT Changes from the Behavior Analyst Certification Board

1. **Effective January 1, 2026:** In the interest of consumer protection, the BACB Board of Directors approved a recommendation that RBT supervisors must hold BCBA or BCaBA certification. Noncertified supervisors will not be allowed to provide BACB-required supervision to RBTs. During this transition, RBT Requirements Coordinators who currently attest to the qualifications of noncertified supervisors should make preparations to ensure continuity of care for clients.

2. **Effective January 1, 2026:** New rules regarding eligibility for and maintenance of certification for RBTs were adopted by the BACB Board of Directors and can be located in the *BACB Newsletter: December 2023* at www.bacb.com.

XI. Exclusions

- A. rehabilitative services (eg, community psychiatric supportive treatment, therapeutic behavioral service, psychosocial rehabilitation service) will not be reimbursed for the provision of ABA
- B. reimbursement for the following services or activities is not permitted:
 1. any services not documented in the treatment plan
 2. behavioral methods or modes considered experimental
 3. education-related services or activities described under Individuals with Disabilities Education Improvement Act of 2004, 20 U.S.C. §1400 (IDEA), amended through Public Law 114-95, the Every Student Succeeds Act
 4. vocational services in nature or those available through programs funded under Section 110 of the Rehabilitation Act of 1973
 5. components of adult day care programs
- C. treatment solely for the benefit of the family, caregiver, or therapist
- D. treatment focused on recreational or educational outcomes
- E. treatment worsening symptoms or prompting member regression
- F. treatment for symptoms and behaviors not part of core symptoms of ASD (eg, impulsivity due to ADHD, reading difficulties due to learning disabilities, excessive worry due to an anxiety disorder)
- G. goals focused on academic targets (eg, treatment should address autistic symptoms impeding deficits in the home environment, such as reduction of frequency of self-stimulatory behavior to follow through with toilet training or completing a mathematic sorting task)
- H. treatment unexpected to cause measurable, functional improvement or improvement is not documented
- I. duplicative therapy services addressing the same behavioral goals using the same techniques as the treatment plan, including services under an IEP.
- J. more than 1 program or lead behavioral therapist or more than 1 agency or organization providing ABA for a member at any 1 time
- K. services provided by family or household members
- L. care primarily custodial in nature and not requiring trained/professional ABA staff
- M. shadowing, para-professional, or companion services in any setting
- N. personal training or life coaching
- O. services more costly than an alternative service(s), which are as likely to produce equivalent diagnostic or therapeutic results for the member
- P. any program or service performed in nonconventional settings, even if performed by a licensed provider (eg, spas/resorts, vocational or recreational settings, Outward Bound, wilderness, camp or ranch programs).

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

E. Conditions of Coverage

- I. Compliance with the provisions in this policy may be monitored and addressed through post payment data analysis, subsequent medical review audits, recovery of overpayments identified, and provider prepayment review. Program Integrity will be engaged for an annual review of data.
- II. When a member has other insurance, Medicaid is always the payer of last resort. CareSource will not pay more than the Medicaid rate totals for service. Primary payer must provide evidence of determinations for consideration of Medicaid coverage for services.
- III. CareSource reserves the right to request supervision documentation, particularly related to telehealth services.
- IV. Providers cannot submit multiple dates of service on a single claim line. Each claim line must be specific to a single date of service and the units provided on that single date of service.

F. Related Policies/Rules

- Behavioral Health Service Record Documentation Standards
- Medical Necessity Determinations
- Nonmedical Community Supports and Services

G. Review/Revision History

DATE		ACTION
Date Issued	02/02/2022	New Policy
Date Revised	01/04/2023	Added definition of PCSP, PSSP to revised initial ABA treatment plan & section V.J. Parent/caregiver involvement.
	03/29/2023	Revised definitions. Restructured policy for clarity. Approved at Committee.
	04/12/2023	Removed any telehealth exclusions. Approved at Committee. Annual review. Revised background. Added sections VII – X.
	03/13/2024	Updated H. Approved at Committee.
	09/25/2024	Out of cycle review. Expanded background & VI. Added paraprofessional to practitioner definition, IX.D. & E.4. Deleted X.3. Updated references. Approved at Committee.
Date Effective	01/01/2025	
Date Archived		

H. References

- 1. *2024 Q2 NCCI MUE Edits-Practitioner Services*. Centers for Medicare and Medicaid Services. Updated July 1, 2024. Accessed September 16, 2024. www.cms.gov

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

2. Anglim M, Conway EV, Barry M, et al. An initial examination of the psychometric properties of the Diagnostic Instrument for Social and Communication Disorders (DISCO-11) in a clinical sample of children with a diagnosis of autism spectrum disorder. *Ir J Psychol Med*. 2022;39(3):251-260. doi:10.1017/ipm.2020.100
3. Application for a 1915(c) Home and Community-Based Services Waiver. AR.0188.R06.01. Updated July 1, 2022. Accessed September 16, 2024. www.humanservices.arkansas.gov
4. Applied Behavior Analysis: B-806-T. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
5. Arkansas Legislative Task Force on Autism Act, Ark. Code Ann. § § 10-3-2601 to 2603 (2023).
6. Augustyn M. Autism spectrum disorder in children and adolescents: evaluation and diagnosis. UptoDate. Updated May 16, 2022. Accessed September 16, 2024. www.uptodate.com
7. Augustyn M. Autism spectrum disorder (ASD) in children and adolescents: terminology, epidemiology, and pathogenesis. UptoDate. Updated January 24, 2024. Accessed September 16, 2024. www.uptodate.com
8. Augustyn M, Von Hahn E. Autism spectrum disorder in children and adolescents: clinical features. UptoDate. Updated May 17, 2023. Accessed September 16, 2024. www.uptodate.com
9. Autism spectrum disorder. American Academy of Pediatrics. Updated April 5, 2023. Accessed September 16, 2024. www.aap.org
10. *Autism Spectrum Disorder In Young Children: Screening*. U.S. Preventive Services Task Force; 2016. Accessed September 16, 2024. www.uspreventiveservicestaskforce.org
11. Autism Spectrum Disorders: M-7075. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
12. Autism Spectrum Disorders: B-012-HC. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
13. Autism Spectrum Disorders, Adult, Inpatient Care: B-012-IP. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
14. Autism Spectrum Disorders, Child or Adolescent: B-019-IP. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
15. Autism Spectrum Disorders, Intensive Outpatient Program: B-012-IOP. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
16. Autism Spectrum Disorders, Outpatient Care: B-012-AOP. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
17. Autism Spectrum Disorders, Partial Hospitalization Program: B-012-PHP. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
18. Autism Spectrum Disorders, Residential Care: B-012-RES. MCG. 28th ed. Updated March 14, 2024. Accessed September 16, 2024. www.careweb.careguidelines.com
19. *BACB Newsletter*. Behavior Analyst Certification Board; September 2023. Accessed September 16, 2024. www.bacb.com

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

20. *BACB Newsletter: Introducing the 2026 RBT Examination and Certification Requirements*. Behavior Analyst Certification Board; December 2023. Accessed September 16, 2024. www.bacb.com
21. Bak M, Plavnick J, Dueñas A, et al. The use of automated data collection in applied behavior analytic research: a systematic review. *Behavior Analysis: Res Practice*. 2021;21(4), 376–405. <https://doi.org/10.1037/bar0000228>
22. Bearss K, Burrell T, Challa S, et al. Feasibility of parent training via telehealth for children with autism spectrum disorder and disruptive behavior: a demonstration pilot. *J Autism Dev Dis*. 2018;48:1020-3. doi:10.1007/s10803-017-3363-2
23. Blakeley-Smith A, Meyer A, Boles R, et al. Group cognitive behavioral treatment for anxiety in autistic adolescents with intellectual disability: a pilot and feasibility study. *J App Res Intell Disab*. 2021;34(3):777-788. doi:10.1111/jar.12854
24. *Board Certified Behavior Analyst Handbook*. Behavior Analyst Certification Board. Updated December 2023. Accessed September 16, 2024. www.bacb.com
25. *Board Certified Assistant Behavior Analyst Handbook*. Behavior Analyst Certification Board. Updated December 2023. Accessed September 16, 2024. www.bacb.com
26. Buckley A, Hirtz D, Oskoui M, et al.; Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. Practice guideline: treatment for insomnia and disrupted sleep behavior in children and adolescents with autism spectrum disorder. *Neurology*. 2020;94(9):392-404. doi:org/10.1212/WNL00000000000009033
27. Chun T, Mace S, Katz E; American Academy of Pediatrics; Committee on Pediatric Emergency Medicine and American College of Emergency Physicians; Pediatric Emergency Medicine Committee. Evaluation and management of children and adolescents with acute mental health or behavioral health problems: part I, common clinical challenges of patients with mental health or behavioral emergencies. *Pediatr*. 2016;138(3):e20161570. doi:org/10.1542/peds.2016-1570
28. Chun T, Mace S, Katz E; American Academy of Pediatrics; Committee on Pediatric Emergency Medicine and American College of Emergency Physicians; Pediatric Emergency Medicine Committee. Evaluation and management of children and adolescents with acute mental health or behavioral health problems: part II, recognition of clinically challenging mental health related conditions presenting with medical or uncertain symptoms. *Pediatr*. 2016;138(3):e20161573. doi:org/10.1542/peds.2016-1573
29. Contents of a Request for a Waiver, 42 C.F.R. § 441.301 (2024).
30. Coverage for Autism Spectrum Disorders Required – Definitions, ARK. CODE ANN. § 23-99-418- (2023).
31. Crockett, JL, Fleming RK, Doepke K, et al. Parent training: acquisition and generalization of discrete trials teaching skills with parents of children with autism. *Res Dev Disabilities*. 2007;28(1):23-36. doi.org/10.1016/j.ridd.2005.10.003
32. Declaration of Purpose, GA. CODE ANN. § 37-2-1 (2023).
33. Dubreucq J, Haesebaert F, Plasse J, et al. A systematic review and meta-analysis of social skills training for adults with autism spectrum disorder. *J Autism Dev Disorders*. 2022;52(4):1598-1609. doi:10.1007/s10803-021-05058
34. Electronic Records and Signatures, ARK. CODE ANN. § 25-31-103 (2023).

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

35. Ellison K, Guidry J, Picou P, et al. Telehealth and autism prior to and in the age of COVID-10: a systematic and critical review of the last decade. *Clin Child Family Psych Rev.* 2021;24:599-630. doi:10.1007/s10567-021-00358-0
36. Ethics Code for Behavior Analysts. Behavior Analyst Certification Board; 2020. Updated January 1, 2022. Accessed September 16, 2024. www.bacb.com
37. Evidence analysis research brief: applied behavior analysis training via telehealth for caregivers of children with autism spectrum disorder. Hayes; 2022. Accessed September 16, 2024. www.evidence.hayesinc.com
38. Evidence analysis research brief: direct-to-patient applied behavior analysis telehealth for children with autism spectrum disorder. Hayes; 2022. Accessed September 16, 2024. www.evidence.hayesinc.com
39. Gates JA, Kang E, Lerner MD. Efficacy of group social skills interventions for youth with autism spectrum disorder: a systematic review and meta-analysis. *Clin Psych Rev.* 2017;52:164-81. doi:10.1016/j.cpr.2017.01.006
40. Gilmore R, Ziviani J, Chatfield MD, et al. Social skills group training in adolescents with disabilities: a systematic review. *Res Dev Disab.* 2022;125:online. doi:10.1016/j.ridd.2022.104218
41. González MC, Vásquez M, Hernández-Chávez M. Autism spectrum disorder: clinical diagnosis and ADOS Test. *Rev Chil Pediatr.* 2019;90(5):485-491. doi:10.32641/rchped.v90i5.872
42. Health technology assessment: comparative effectiveness review of intensive behavioral intervention for treatment of autism spectrum disorder. Hayes; 2019. Updated February 10, 2022. Accessed September 16, 2024. www.evidence.hayesinc.com
43. Hyman S, Levy S, Myers S; Council on Children with Disabilities. Developmental and behavioral pediatrics: identification, evaluation, and management of children with autism spectrum disorder. *Pediatr.* 2020;145(1):e20193447. doi:org/10.1542/peds.2019-3447
44. Information on autism spectrum disorder for healthcare providers. Centers for Disease Control and Prevention (CDC). Updated December 6, 2022. Accessed September 16, 2024. www.cdc.gov
45. Kreyenbuhl J, Buchanan RW, Dickerson FB; Schizophrenia Patient Outcomes Research Team (PORT). The Schizophrenia Patient Outcomes Research Team (PORT): updated treatment recommendations. *Schizophrenia Bull.* 2010;36(1):94-103. doi:10.1093/schbul/sbp130
46. Lebersfeld JB, Swanson M, Clesi CD, et al. Systematic review and meta-analysis of the clinical utility of the ADOS-2 and the ADI-R in diagnosing autism spectrum disorders in children. *J Autism Dev Disord.* 2021;51(11):4101-4114. doi:10.1007/s10803-020-04839-z
47. Lefort-Besnard J, Vogeley K, Schilbach L, et al. Patterns of autism symptoms: hidden structure in the ADOS and ADI-R instruments. *Transl Psychiatry.* 2020;10(1):257. doi:10.1038/s41398-020-00946-8
48. Lim N, Russell-George A. Home-based early behavioral interventions for young children with autism spectrum disorder. *Clin Psychol.* 2022;29(4):415-416. doi:org/10.1037/cps0000117

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

49. Marino F, Chila P, Failla C, et al. Tele-assisted behavioral intervention for families with children with autism spectrum disorders: a randomized control trial. *Brain Sci.* 2020;10(9):649. doi:10.3390/brainsci10090649
50. Medicaid Waiver for Autism Spectrum Disorder – Definitions, ARK. CODE ANN. § 20-77-124 (2023).
51. MeiMei L, Zenghui M. A systematic review of telehealth screening, assessment, and diagnosis of autism spectrum disorder. *Child Adol Psychiatry Mental Health.* 2022;16(79):1-15. doi:10.1186/s13034-022-00514-6
52. Moody CT, Laugeson EA. Social skills training in autism spectrum disorder across the lifespan. *Child Adol Psychiatric Clinics N Amer* 2020;29(2):359-371. doi:10.1016/j.chc.2019.11.001
53. Person-Centered Service Plan, 42 C.F.R. § 441.725 (2024).
54. *Provider-Led Arkansas Shared Savings Entity (PASSE) Program Provider Manual*, Arkansas Dept of Human Services. Accessed September 16, 2024. www.humanservices.arkansas.gov
55. *Registered Behavior Technician Handbook*. Behavior Analyst Certification Board. Updated December 2023. Accessed September 16, 2024. www.bacb.com
56. Sneed L, Little S, Akin-Little A. Evaluating the effectiveness of two models of applied behavior analysis in a community-based setting for children with autism spectrum disorder. *Behav Anal: Res Pract.* 2023;23(4):238-253. doi.org/10.1037/bar0000277
57. Society guideline links: autism spectrum disorder. UptoDate. Accessed September 16, 2024. www.uptodate.com
58. Solish A, Klemencic N, Ritzema A, et al. Effectiveness of a modified group cognitive behavioral therapy program for anxiety in children with ASD delivered in a community context. *Molecular Autism* 2020;11(34):1-11. doi.10.1186/s13229020003416
59. Unholz-Bowden E, McComas J, McMaster K, et al. Caregiver training via telehealth on behavioral procedures: a systematic review. *J Beh Educ.* 2020;29:246-281. doi:10.1007/s10864-020-09381-7
60. Volkmar F, Siegel M, Woodbury-Smith M, et al.; American Academy of Child and Adolescent Psychiatry (AACAP) Committee on Quality Issues (CQI). Practice parameter for the assessment and treatment of children and adolescents with autism spectrum disorder. *J Am Acad Child Adolesc Psychiatry.* 2014;53(2):237-57. doi: 10.1016/j.jaac.2013.10.013
61. Weissman L. Autism spectrum disorders in children and adolescents: behavioral and educational interventions. UptoDate. Updated December 4, 2023. Accessed September 16, 2024. www.uptodate.com
62. Weissman L. Autism spectrum disorder in children and adolescents: overview of management. UptoDate. Updated September 8, 2023. Accessed September 16, 2024. www.uptodate.com
63. Weissman L. Autism spectrum disorder in children and adolescents: pharmacologic interventions. UptoDate. Updated May 30, 2024. Accessed September 16, 2024. www.uptodate.com

64. Weissman L. Autism spectrum disorder in children and adolescents: screening tools. UptoDate. Updated January 24, 2024. Accessed September 16, 2024. www.uptodate.com
65. Weissman L. Autism spectrum disorder in children and adolescents: surveillance and screening in primary care. UptoDate. Updated May 5, 2022. Accessed September 16, 2024. www.uptodate.com
66. Weissman L, Harris H. Autism spectrum disorder in children and adolescents: complementary and alternative therapies. UptoDate. Updated June 20, 2022. Accessed September 16, 2024. www.uptodate.com
67. Wergeland J, Posserud M, Fjermestad K, et al. Early behavioral interventions for children and adolescents with autism spectrum disorder in routine clinical care: a systematic review and metaanalysis. *Clin Psychol.* 2022;29(4):400-414. doi.org/10.1037/cps0000106
68. Witwer A, Walton K, Held M. Taking an evidence-based child- and family-centered perspective on early autism intervention. *Clin Psychol.* 2022;29(4):420-422. doi.org/10.1037/cps0000122