

MEDICAL POLICY STATEMENT Michigan Medicaid


| Wilchigan Wedicald | | | | |
|--------------------------------|----------------|--|--|--|
| Policy Name & Number | Date Effective | | | |
| Standing Frames-MI MCD-MM-1523 | 10/01/2024 | | | |
| Policy Type | | | | |
| MEDICAL | | | | |

Medical Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination. According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

Table of Contents

| Α. | Subject | . 2 |
|----|-------------------------|-----|
| | Background | |
| | Definitions | |
| | Policy | |
| E. | Conditions of Coverage | . 6 |
| F. | Related Policies/Rules | . 6 |
| G. | Review/Revision History | . 6 |
| Н | References | 6 |





A. Subject Standing Frames

B. Background

Supported standing is a common, adjunctive therapeutic practice in which patients with several neurological conditions are enabled to assume an upright position. Home-based standing programs are commonly recommended for adults and children who cannot stand and/or walk independently and are usually part of a postural management program, which plays a role in preventing contracture, deformity, pain, and asymmetry. Standers might include prone, supine, vertical, multi-positional, and sit-to-stand types.

Standing frames consist of a simple base with an upright support to which the patient can be strapped. These devices provide no mobility, but research has shown medical benefits supporting use, including an enhanced ability to perform tasks, maintained or improved joint range of motion, muscle spasticity and bone density, and an enhanced ability to perform activities of daily living. In recent studies, some adults and children report a decrease in pain, suppository use, decubitus ulcers, urinary tract infections (UTI), and clinical depression, while reporting an increase in improved bowel function, breathing, circulation and muscle tone.

Psychological benefits have also been documented and include improved socialization, patient satisfaction and quality of life due to improved interaction with others. Additional benefits for some patients can include enhanced independence, improved vocational activities, and increased recreational activities with peers and others, which have been reported to instill a heightened sense of confidence and equality and improved self-esteem in children and adults. Acceptance by others and a sense of integration is perceived to be higher among standing frame users.

No adverse events or effects have been frequently reported or documented in literature, but some contraindications have been widely discussed. Additionally, many patients do not report pain with use of standing frames. With the added benefit of the enhancement of functional recovery with early physical rehabilitation, many providers are adding supported standing as a practice in postural management after consideration of contraindications is examined by a medical professional.

C. Definitions

- Activities of Daily Living (ADLs) Fundamental skills required to independently care for oneself, including
 - Basic ADLs Skills required to manage one's basic physical needs, including ambulation, feeding, dressing, personal hygiene, continence and toileting.
 - Instrumental ADLs Skills that require more complex thinking skills, including transportation and shopping, finance management, meal preparation, house cleaning and home maintenance, communication management, and medication management.

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.



- **Durable Medical Equipment (DME)** Equipment for home use, other than mobility enhancing equipment, dispensed pursuant to a prescription, including DME repair or replacement parts, that does all of the following:
 - o can stand repeated use
 - primarily and customarily used to serve a medical purpose
 - o generally not useful to a person in the absence of illness or injury
 - o not worn in or on the body
- Postural Management A multi-disciplinary approach incorporating a
 comprehensive schedule of daily and night-time positions, equipment, and physical
 activity to help maintain or improve body structures and function and increase activity
 and participation.
- Specialized Medical Equipment and Supplies An item or set of items enabling a
 member to increase performance of ADLs with a greater degree of independence
 and to perceive, control, or communicate with the environment in which the member
 lives.

D. Policy

- I. CareSource will review medical necessity requests for non-powered standing frames on a case-by-case basis once all the following information is submitted for review. All applicable forms can be located on the Michigan Department of Health and Human Services website under the Medicaid Provider Forms and Other Resources page.
 - A. New Equipment
 - 1. Stander information, including **all** the following information:
 - a. manufacturer
 - b. model number
 - c. catalog or part number, if applicable
 - d. an itemized list of any additional attachments and accessories with individual prices, if not included with the basic stander or if applicable
 - 2. Documentation of the following:
 - a. The item is specified in the member's plan of service and is medically necessary to increase a member's ability to perform ADLs or navigate his/her living environment, including **one of more** of the following:
 - 01. aids in the prevention of atrophy in the trunk and leg muscles
 - 02. improves strength and/or circulation to the trunk and lower extremities
 - 03. prevents formation of decubitus ulcers with changeable positions
 - 04. helps maintain bone and/or skin integrity
 - 05. reduces swelling in the lower extremities
 - 06. improves range of motion and/or aids normal skeletal development
 - 07. improves function of kidneys, bladder, and/or bowels
 - 08. decreases muscle spasms
 - 09. strengthens the cardiovascular system and builds endurance
 - 10. prevents or decreases muscle contractures and/or progressive scoliosis
 - 11. improves social interaction and psychological well-being
 - 12. increase performance of ADLs



- b. The best value in warranty coverage was obtained for the item at the time of purchase (ie, the most coverage for the least cost per industry standards).
- c. Medical record substantiates necessity for DME, including the following:
 - 01. clinical course and duration of the condition
 - 02. prognosis and extent of functional limitations
 - 03. other therapeutic interventions and results, including past experiences with related items
- 3. Face-to-face encounter: Documentation of date and time with the prescribing physician or non-physician practitioner (NPP) related to the primary reason for item use is required no more than 6 months prior to the initial written order/prescription. The encounter must be documented on the order/prescription or the certificate of medical necessity (CMN) and can be performed by the following professionals:
 - a. physician (MD or DO)
 - b. physician assistant (PA)
 - c. certified nurse practitioner (NP)
 - d. certified clinical nurse specialist (CNS)
- 4. A copy of the completed CMN for each item, including the following:
 - a. member name, address, date or birth, and identification or social security number, including diagnosis
 - b. prescribing professional's signature, date of signature, and telephone number
 - c. supplier's name and address
 - d. expected start date of service if different from the prescription date
 - e. complete description of the item with amount and length of time item is needed
 - f. medical necessity of item (see D. I. A. 2. a.-c.)
- 5. A prescription, valid 6 months from the date it was signed, must include the following information:
 - a. member name, date of birth, and identification number or social security number, if known
 - b. date and signature (stamps and co-signatures are not accepted) by one
 of the medical professionals licensed in Michigan and practicing within the
 scope of law listed in D. I. A. 3 a.-c., including address and telephone
 number
 - c. specific item prescribed, including amount and length of time needed
 - d. start date of order if different from the professional's signature date
 - e. specific recipient diagnosis (-es) documenting a neuromuscular condition (eg, multiple sclerosis, cerebral palsy, spinal cord injury, stroke) or documented developmental delay impairing the recipient's ability to stand independently
 - f. assessment of continued need to occur on an annual basis with "renewal" documented on the order



- 6. Prior authorization must be submitted prior to delivery of the item (see Michigan DHHS Special Services Prior Approval-MSA-1653-B).
- 7. All DME providers must adhere to and follow provider enrollment standards in the Michigan Medicaid Provider Manual and submit documentation of delivery, including the following:
 - a. date of delivery (date of service) date the beneficiary received the item
 - b. method of delivery, including courier or shipping service delivery slip
 - c. proof of delivery (POD) signed and dated by the member or member, member guardian, or member appointee
 - d. documentation of face-to-face encounter
 - e. proof of education and instruction to member and/or caregiver regarding proper usage of equipment
- 8. No contraindications to a supported standing program are present, such as, but not limited to, the following:
 - healing fracture or severe osteoporosis that precludes weight bearing of any kind
 - b. significant hip or knee flexion or ankle plantarflexion contractures in which stretch or pressure prevents standing
 - c. compromised cardiovascular or respiratory systems that require frequent monitoring or circulation and function while in a stander
 - d. significant skeletal deformities that are not flexible
 - e. lack of standing tolerance (ie, cannot maintain a standing position due to little or no residual strength in the hips, legs and lower body)
 - f. postural hypotension
- B. Replacement of a non-powered standing frame is considered medically necessary after 5 years when both the following criteria have been met:
 - 1. medical necessary criteria above have been met
 - 2. device is out of warranty and cannot be refurbished or adequately repaired
- C. Repairs may be completed when the following criteria have been met:
 - 1. individual plan of service shows continued medical necessity
 - 2. all other warranty and insurance coverage has been sought and denied
 - 3. repair is the most cost-effective solution when compared with replacement or purchase of a new item
 - 4. evidence of training in use of equipment if repair is due to misuse or abuse
- II. The following items or services are not covered or separately reimbursable:
 - A. electric, motorized or powered standing frames
 - B. items or services covered under manufacturer or dealer warranty
 - C. DME items that duplicate or conflict with another item currently in the recipient's possession
 - D. replacement items or previously approved equipment that have been damaged because of perceived misuse, abuse, or negligence



E. Conditions of Coverage

Assessment by an appropriate health care professional, specialized training needed in conjunction with the use of the equipment and warranted upkeep will be considered as part of the cost of the service.


F. Related Policies/Rules
Medical Necessity Determinations

G. Review/Revision History

| | DATE | ACTION | |
|----------------|------------|---|--|
| Date Issued | 09/13/2023 | New policy. Approved at Committee. | |
| Date Revised | 03/13/2024 | Annual review. Updated references. Approved at Committee. | |
| | 07/17/2024 | Annual review. Updated references. Approved at Committee. | |
| Date Effective | 10/01/2024 | | |
| Date Archived | | | |

H. References

- 1. Arva J, Paleg G, Lange M, et al. RESNA position on the application of wheelchair standing devices. *Assist Technol.* 2009;21(3):161-171. doi:10.1080/1044393175622
- 2. Capati V, Covert SY, Paleg G. Stander use for an adolescent with cerebral palsy at GMFCS level with hip and knee contractures. *Assist Technol.* 2020;32(6):335-341. doi:10.1080/10400435.2019.1579268
- 3. Durable Medical Equipment and Medical Supplies, MICH. ADMIN. CODE § 23.209 (2022).
- 4. Edemekong PF, Bomgaars DL, Sukumaran S, et al. Activities of Daily Living. In: StatPearls; 2022.
- 5. Ferrarello F, Deluca G, Pizzi A, et al. Passive standing as an adjunct rehabilitation intervention after stroke: a randomized controlled trial. *Arch Physiother*. 2015;5(2). doi:10.1186/s40945-015-0002-05
- 6. Goodwin J, Lecouturier J, Basu A, et al. Standing frames for children with cerebral palsy: a mixed-methods feasibility study. *Health Technol Assess*. 2018;22(50):1-232. doi:10.3310/hta22500
- 7. Macias-Merlo L, Bagur-Calafat C, Girabent-Farrés M, et al. Standing programs to promote hip flexibility in children with spastic diplegic cerebral palsy. *Pediatr Phys Ther.* 2015;27(3):243-249. doi:10.1097/PEP.000000000000150
- 8. Martinsson C, Himmelmann K. Abducted standing in children with cerebral palsy: effects on hip development after 7 years. *Pediatr Phys Ther*. 2021;33(2):101-107. doi:10.1097/PEP.0000000000000789
- 9. *Medicaid Provider Manual.* Michigan Dept of Health and Human Services. Updated July 1, 2024. Accessed July 11, 2024. www.michigan.gov
- Newman M, Barker K. The effect of supported standing in adults with upper motor neurone disorders: a systematic review. *Clin Rehabil*. 2012;26(12):1059-1077. doi:10.1177/0269215512443373





- 11. Paleg G, Livingstone R. Evidence-informed clinical perspectives on postural management for hip health in children and adults with non-ambulant cerebral palsy. *J Pediatr Rehabil Med.* 2022;15(1):39-48. doi:10.3233/PRM-220002
- Paleg G, Livingstone R. Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. *BMC Musculoskelet Disord*. 2015;16:358. doi:10.1186/s12891-015-0813-x
- 13. Paleg GS, Smith BA, Glickman LB. Systematic review and evidence-based clinical recommendations for dosing of pediatric supported standing programs. *Pediatr Phys Ther.* 2013;25(3):232-247. doi:10.1097/PEP.0b013e318299d5e7
- 14. Pedlow K, McDonough S, Lennon S, et al. Assisted standing for Duchenne muscular dystrophy. *Cochrane Database Syst Rev.* 2019;10(10):CD011550. doi:10.1002/14651858.CS011550.pub2
- 15. Standing frame: A-0996. MCG Health, 28th ed. Updated March 14, 2024. Accessed June 18, 2024. www.careweb.careguidelines.com
- Synnot A, Chau M, Pitt V, et al. Interventions for managing skeletal muscle spasticity following traumatic brain injury. *Cochrane Database Syst Rev*. 2017;11(11):CD008929. doi:10.1002/14651858.CD008929.pub2

Independent medical review -2022